

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L27	76	(PDA) near4 WAP with browser	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/17 11:30
L26	1	"6356282".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/17 11:29
L25	1	"6594470".pn	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/17 11:16
L24	8	("5838950" "5938752" "6237106" "6272114" "6389029" "6405247" "6446142" "6473521").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/17 11:10
L23	50	((IEEE adj "1394") USB) near5 (re-configur\$5 reconfigur\$5 re\$configur\$7 reset\$6 self-configur\$5) same (turn\$5 near4 (on off))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 10:05
L5	0	ad-hoc near3 peer near3 network\$6 and ((IEEE adj "1394") USB) near5 (re-configur\$5 reconfigur\$5 re\$configur\$7 reset\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 10:05
L22	0	((IEEE adj "1394") USB) and (only adj when)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 09:50
L21	0	((IEEE adj "1394") USB) and (select\$5 near4 updat\$5) same (only adj when)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 09:50
L20	1797	((IEEE adj "1394") USB) and (select\$5 near4 updat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 09:50
L18	5	((IEEE adj "1394") USB) and (select\$5 near4 updat\$5 near4 (mapping))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 09:48
L19	14	(re-configur\$5 reconfigur\$5 re\$configur\$7 reset\$6 self-configur\$5) and (select\$5 near4 updat\$5 near4 (mapping))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 09:46
L17	1	(re-configur\$5 reconfigur\$5 re\$configur\$7 reset\$6 self-configur\$5) and ((IEEE adj "1394") USB) and (select\$5 near4 updat\$5 near4 (mapping))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 09:46

EAST Search History

L8	357	ad-hoc near3 network\$6 and ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 09:43
L6	37	ad-hoc near3 peer near3.network\$6 and (re-configur\$5 reconfigur\$5 re\$configur\$7 reset\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 09:43
L16	23	("20030179719" "5239537" "5384831" "5440613" "5541930" "5586117" "5680589" "5802057" "5938735" "5999525" "6006286" "6009157" "6058115" "6058433" "6128292" "6134628" "6233017" "6246759" "6275472" "6334161" "6453343" "6690648" "H001917").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/17 09:34
L15	31	((IEEE adj "1394") USB) same (restor\$5) same (interrupt\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 09:05
L14	0	self-configur\$7 same ((IEEE adj "1394") USB) same (restor\$5) same (interrupt\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 09:04
L13	1	self-configur\$7 same (subset superset sub-set partial in-part) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 09:01
L12	0	self-configur\$7 near5 (subset superset sub-set partial in-part) near5 ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 08:59
S74	3	S71 and (Configura\$5 reset\$5) near5 (subset superset sub-set partial in-part) near5 (device node appliance equipment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 08:58
S22 7	0	((IEEE adj "1394") USB) near5 subnet near5 (re-configur\$5 reconfigur\$5 re\$configur\$7 reset\$6 initial\$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 08:57
L11	2	("5394556" "5579486").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/17 08:56
L10	2	"5764930".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 08:53

EAST Search History

L9	17	ad-hoc near3 network\$6 same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 08:53
L7	23	ad-hoc near3 peer near3 network\$6 and ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 08:47
S22 0	135	detect\$5 near5 ((IEEE adj "1394") USB) near5 (re-configur\$5 reconfigur\$5 re\$configur\$7 reset\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 08:37
L3	12	("5402115" "5559965" "5640591" "5659795" "5671441" "5675794" "5826046" "5852744" "5881252" "5922056" "5974474" "5999989").PN	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/17 08:06
L2	2	"6220510".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 07:49
L1	2	"6205209".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 07:49
S22 9	24	subnet near5 (re-configur\$5 reconfigur\$5 re\$configur\$7 reset\$6 initiali\$8) and ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 07:48
S22 8	161	subnet near5 (re-configur\$5 reconfigur\$5 re\$configur\$7 reset\$6 initiali\$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/16 16:53
S22 6	0	partial near5 ((IEEE adj "1394") USB) near5 bus near5 (re-configur\$5 reconfigur\$5 re\$configur\$7 reset\$6 initiali\$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/16 16:50
S22 5	16	partial near5 bus near5 (re-configur\$5 reconfigur\$5 re\$configur\$7 reset\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/16 16:50
S22 4	0	partial near5 bus near5 (re-configur\$5 reconfigur\$5 re\$configur\$7 reset\$6) same (re-stor\$5 restor\$6) near4 (interrupt\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/16 16:47

EAST Search History

S22 3	5	bus near5 (re-configur\$5 reconfigur\$5 re\$configur\$7 reset\$6) same (re-stor\$5 restor\$6) near4 (interrupt\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/16 16:47
S22 2	2819	(re-configur\$5 reconfigur\$5 re\$configur\$7 reset\$6) and (re-stor\$5 restor\$6) near4 (interrupt\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/16 16:42
S22 1	0	detect\$5 near5 ((IEEE adj "1394") USB) near5 (re-configur\$5 reconfigur\$5 re\$configur\$7 reset\$6) and (re-stor\$5 restor\$6) near4 (interrupt\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/16 16:40
S21 7	715	(re-configur\$5 reconfigur\$5 re\$configur\$7) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/16 16:25
S21 9	2	"5764930".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/16 16:22
S21 8	0	invalid near3 all near4 hand\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/16 16:22
S21 6	13	(self-configur\$5 selfconfigur\$5 self\$configur\$7) near5(map\$8 address\$5 rout\$5) near3 (table data database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 10:42
S21 5	0	(self-configur\$5 selfconfigur\$5 self\$configur\$7) near5(map\$8 address\$5 rout\$5) near3 (table data database) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 10:42
S21 4	1	(self-configur\$5 selfconfigur\$5 self\$configur\$7) near5(map\$8 address\$5 rout\$5) near3 (table data database) and (bus trigger) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 10:42
S21 3	0	(self-configur\$5 selfconfigur\$5 self\$configur\$7) near5 (device node) same (map\$8 address\$5 rout\$5) near3 (table data database) and (bus trigger) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 10:41
S21 2	68	(self-configur\$5 selfconfigur\$5 self\$configur\$7) near5 (device node) and (bus trigger) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 10:39

EAST Search History

S21 1	5	(self-configur\$5 selfconfigur\$5 self\$configur\$7) near5 (mapp\$7) and (bus trigger) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 10:19
S18 7	0	(mark\$5 consider\$5) near5 (map\$8) near4 (invalidat\$5 validat\$5) and (re-configur\$5 reconfigur\$5 re\$configur\$7) near4 (bus trigger) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 10:13
S21 0	73	(pending) near5 ((transaction command request communicat\$5)) and(self-configur\$5 selfconfigur\$5 self\$configur\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 10:12
S20 9	65	(pending) near5 ((transaction command request)) and(self-configur\$5 selfconfigur\$5 self\$configur\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 10:00
S20 8	1	(pending) near5 ((transaction command request)) and(self-configur\$5 selfconfigur\$5 self\$configur\$7) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 09:59
S20 7	0	(pending) near5 ((transaction command request)) same (self-configur\$5 selfconfigur\$5 self\$configur\$7) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 09:57
S20 6	0	(re-establish\$5 reestablish\$6 re\$establish\$6) near5 (pending) near5 ((transaction command request)) same (self-configur\$5 selfconfigur\$5 self\$configur\$7) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 09:57
S20 5	0	(re-establish\$5 reestablish\$6 re\$establish\$6) near5 ((transaction command request)) same (re-configur\$5 reconfigur\$5 re\$configur\$7) near4 (bus trigger) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 09:55
S20 4	0	(re-establish\$5 reestablish\$6 re\$establish\$6) near5 (communicat\$5) same (re-configur\$5 reconfigur\$5 re\$configur\$7) near4 (bus trigger) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 09:51
S19 6	0	(pending) near5 (communicat\$5) same (re-configur\$5 reconfigur\$5 re\$configur\$7) near4 (bus trigger) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 09:49
S20 3	33	"712"/\$.ccls. and self-configur\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 09:29

EAST Search History

S20 2	13433	"712"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 09:29
S20 1	1	((as adj need\$6) select\$5) near4 (updat\$5) near5 (map\$8) and (re-configur\$5 reconfigur\$5 re\$configur\$7) near4 (bus trigger)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 09:28
S17 6	1	((as adj need\$6) select\$5) near4 (updat\$5) near5 (map\$8) and (re-configur\$5 reconfigur\$5 re\$configur\$7) near4 (bus trigger) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 09:23
S20 0	7	(pending) same (transaction command request) same (re-configur\$5 reconfigur\$5 re\$configur\$7) near4 (bus trigger)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 09:20
S19 9	8	(node device) near4 (specific\$6 oriented based driven dependent) near4 (re-configur\$5 reconfigur\$5 re\$configur\$7) near4 (bus trigger)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 09:19
S19 5	181	(re-configur\$5 reconfigur\$5 re\$configur\$7) near4 (bus trigger) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 08:43
S19 8	48	(LAN adj bus same bridge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 08:20
S19 7	0	(seek\$7) near5 (communicat\$5) same (re-configur\$5 reconfigur\$5 re\$configur\$7) near4 (bus trigger) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 08:20
S19 4	0	((as adj needed) electiv\$5 partial adaptiv\$8 selectiv\$7) same (re-configur\$5 reconfigur\$5 re\$configur\$7) near4 (bus trigger) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 07:52
S19 0	0	(invalidat\$5 validat\$5) near4 (map\$7) and (re-configur\$5 reconfigur\$5 re\$configur\$7) near4 (bus trigger) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 07:50
S19 3	3	09/822392	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 07:19

EAST Search History

S19 2	2	09/822449	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 07:19
S19 1	2	09/933846	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 07:18
S18 9	4	(mark\$5 consider\$5) near5 (invalidat\$5 validat\$5) and (re-configur\$5 reconfigur\$5 re\$configur\$7) near4 (bus trigger) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 07:12
S18 8	0	(mark\$5 consider\$5) near5 (handle) near4 (invalidat\$5 validat\$5) and (re-configur\$5 reconfigur\$5 re\$configur\$7) near4 (bus trigger) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 15:54
S18 6	0	(invalidat\$5 validat\$5) near5 (map\$8) and (re-configur\$5 reconfigur\$5 re\$configur\$7) near4 (bus trigger) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 15:14
S18 5	0	((as adj need\$6) select\$5) near4 (invalidat\$5 validat\$5) near5 (map\$8) and (re-configur\$5 reconfigur\$5 re\$configur\$7) near4 (bus trigger) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 15:11
S18 4	0	(device node) near3 (basis driven dependent oriented) near4 (updat\$5) near5 (map\$8) and (re-configur\$5 reconfigur\$5 re\$configur\$7) near4 (bus trigger) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 15:09
S18 3	12	("5287357" "5528507" "5724517" "5878232" "5935208" "6032261" "6078963" "6131119" "6157972" "6219697" "6246667" "6366964").PN	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/30 15:04
S18 2	3	((as adj need\$6) select\$5) near4 (map\$8) and (re-configur\$5 reconfigur\$5 re\$configur\$7) near4 (bus trigger) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 15:01
S18 1	4	((as adj need\$6) adaptiv\$5) near4 (updat\$5) near5 (map\$8) and ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 14:56
S17 9	15	((as adj need\$6) select\$5) near4 (updat\$5) near5 (map\$8) and ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 14:56

EAST Search History

S18 0	1	((as adj need\$6) select\$5) near4 (updat\$5) near5 (map\$8) and (re-configur\$5 reconfigur\$5 re\$configur\$7) near4 (bus trigger)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 14:54
S17 8	1	(updat\$5) near5 (map\$8) same (re-configur\$5 reconfigur\$5 re\$configur\$7) near4 (bus trigger) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 14:47
S17 7	0	((as adj need\$6) adaptiv\$5) near4 (updat\$5) near5 (map\$8) and (re-configur\$5 reconfigur\$5 re\$configur\$7) near4 (bus trigger) same ((IEEE adj "1394") USB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 14:47
S17 5	2	"5764930".pn	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 14:43
S72	615	(Configura\$5 reset\$5) near5 (subset superset sub-set partial in-part) near5 (device node appliance equipment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 14:21